

FOOD SAFETY RISK ASSESSMENT

FOR

Novelty Catering

Membership Number 32635

Responsible Person - Matthew Jones

This includes a prep kitchen

| Food Types | Equipment | Creation / Next Renewal Date |
|---|---|---|
| American BBQ / Smoking, Bagels, Breakfast, Breakfast Muffin, Calimari, Carvery, Fried Chicken, Gammon, General Purpose (Traditional Bacon, Burgers, Hotdogs, chips etc), German Sausage, Gourmet Burgers, Gourmet Sausages, Halloumi, Lebanese Cuisine, Roast Beef, Roast Pork, Salad (Specialist), Salads, Salt Beef, Sandwiches / Baguettes / Bagels / Wraps, shish/sheesh Kebab, Steaks, Toasted Sandwiches / Paninis / Paninos, Yoghurt, Yorkshire Puddings | Bains Marie, Chip Warmer / Skuttle, Chipper, Freezer, Fridge (drinks), Generator, Griddle, LPG Gas Cylinder, Refrigerated Trailer, Slicer | Creation: 04/Apr/2024 Next Renewal Date: 03/Apr/2025 |

This Hazard Analysis is based on HACCP principles in order to comply with The Food Safety and Hygiene (England) Regulations 2013 and similar regulations in Wales and Scotland.


All hazards have been defined as either Control Points (CP's) or Critical Control Points (CCP's). The hazards shown as CCP's require particular attention and monitoring as they represent the biggest risk to public health & safety.

The Analysis has two parts:

- The process flow diagram
- · An analysis for each of the hazard highlighted by the process flow diagram from the point of purchase through to handing to a customer

Any questions related to this assessment should be addressed to the owner in the first instance

Please print this risk assessment off and insert it into the risk assessment section of your NCASS Safety Management System



| | Co | ollecti | on from Suppliers | |
|--|--|-------------------------------------|--|---|
| Frozen Products | | | | |
| 🔺 Hazard | a Controls | Critical Limits | Monitoring Procedures | ✓ Corrective Actions |
| Microbiological, physical and chemical contamination. | Approved/reputable suppliers used who can demonstrate legal compliance Food specifications set. Food matches specifications. Packaging intact and in good condition Equipment used for food transportation cleaned and disinfected before use Raw and ready to eat foods separated Food and non-food items kept separate during transportation | | Food has not been stored near to | Reject/dispose of food that is not from approved or reputable supplier. Retrain staff on purchasing requirements If food does not meet specification, review suitability and reject or retain. If retaining, ensure safety will be maintained. Retrain staff in purchasing requirements If packaging is damaged and raw and ready to eat foods have been in contact dispose of the ready to eat foods Retrain staff on purchasing and transportation requirements If chemical contamination has or is likely to have occurred, dispose of the food safely. Retrain staff on transportation requirements If there is evidence of physical contamination dispose of the food safely. Retrain staff on purchasing/transportation requirements If transportation equipment is unhygienic consider rejection of food, based on contamination risks. Review cleaning procedures and retrain staff on cleaning and purchasing requirements Note all problems and corrective actions in Issues section of Daily Record |
| Microbiological multiplication | -18°C or less | Frozen Foods -18°C or less | Between pack food temperatures checked on arrival at food business with a sanitised probe thermometer. Temperatures above – 18 ° C noted in Issues section of Daily Record "Use by" and "Best before" dates checked | If food has defrosted fully or partially then refrigerate and treat as chilled, cook immediately (if product suitable for cooking) or dispose of it. Review transportation arrangements. Dispose of food that has passed its "Use by" or 'Best before' date Retrain staff on Purchasing requirements Note all problems and corrective actions in Issues section of the Daily Record |
| Allergen cross contamination | Approved/ reputable suppliers used who can demonstrate legal compliance Food specifications set All necessary information on allergen presence and 'May contain' warnings provided by approved/ reputable suppliers in English (imported products to have labels translated/over stickering in English). Foods containing allergens clearly labelled with allergen content and securely packaged/contained Foods containing allergens clearly identified, labelled and securely packaged Allergen free foods clearly labelled, securely packaged and protected from cross contamination Effective cleaning of storage facilities used in transporting food e.g., storage boxes, bags etc to limit risk of allergen build up Allergen free products separated from foods containing allergens during transportation Separate, readily identifiable, lidded containers used for transporting allergen free foods. Effective cleaning of storage facilities used in transporting food e.g., storage boxes, bags etc Clean containers stored away from areas likely to be contaminated by allergens Accurate records of allergen Information Records) established, maintained and available. Staff familiar with system and updated on any changes | | Checks to ensure: - Food is purchased/collection from approved/reputable suppliers only All necessary information on allergen presence and 'May contain' warnings provided by suppliers Foods containing allergens are securely packed/contained and accurately labelled Allergen free foods clearly labelled, securely packaged/contained and protected from cross contamination Use of designated containers for transporting allergens Allergen free foods separated from foods containing allergens Allergen free foods separated from foods containing allergens Use of designated containers for transporting allergen free foods. Clean containers stored away from areas likely to be contaminated by allergens Allergen free foods separated from foods containing allergens during transport Effective cleaning of storage facilities used in transporting food Packaging intact and in good condition Accurate record of allergen presence and "May contain" warnings (Allergen Information Record) maintained and available. Staff familiar with system and updated on any changes | If food is not from an approved/reputable supplier assess suitability for use. If unsuitable dispose of food safely. Review staff training in purchasing requirements as necessary If packaging is damaged consider risks of contamination. If risk of contamination treat all affected foods as "contaminated." Retrain staff in purchasing requirements If there is evidence that cross contamination may have occurred e.g. failure to separate allergen free foods from foods containing allergens, ineffective cleaning, failure to use separate, readily identifiable containers etc treat foods as contaminated or dispose of them If labelling and/or packaging missing/ inadequate dispose of food safely and retrain staff on purchasing requirements If failures to accurately update Allergen Information Records review and amend system and retrain staff as necessary Note all problems and corrective actions in Issues section of Daily Record |
| Allergen presence | Approved/ reputable suppliers used who can demonstrate legal compliance | | Checks to ensure: • Supplier is approved/reputable | If food is not from an approved/reputable supplier consider safe disposal. Retrain staff in purchasing requirements. |

| Food specifications set Checks made on incoming goods (collected from suppliers) to identify allergen presence/" May contain" warnings and identify any substitutions. Details recorded in Allergen Information Records Substitutions evaluated for allergen content and suitability for use. Allergen Information Records amended as necessary Foods containing allergens clearly labelled with allergen content and securely packaged/contained Allergen free foods clearly labelled, securely packaged/contained and protected from contamination Accurate record of allergen presence and "May contain" warnings established, maintained (Allergen Information Record), available and updated to reflect incoming goods. Staff familiar with the system | Allergen presence and "May contain" warnings identified, and details recorded in Allergen Information Records Substitutions identified and suitability assessed, Allergen Information Records updated, and relevant staff informed Food containing allergens clearly labelled with allergen free foods are labelled, contained and protected from contamination Record of allergen presence and "May contain" Records | ood does not meet specifications and/or stitutions are not suitable for use dispose of foods ly. Where substitutions are accepted ensure regen Information Records amended as necessary relevant staff are informed elivery checks are inadequate e.g., allergens sed/not recorded, or substitutions not identified ew system and retrain staff belling and/or packaging missing/ inadequate, then oose of food safely and retrain staff on purchasing inements erere are failures to accurately update Allergen rmation Records, review and amend system and ain staff as necessary e all problems and corrective actions in Issues ion of Daily Record |
|--|--|---|
|--|--|---|

| Frozen Products | | | | | | | |
|---|--|-------------------------------------|--|--|--|--|--|
| Å Hazard | S Controls | Critical Limits | Monitoring Procedures | ✓ Corrective Actions | | | |
| Microbiological, physical and chemical contamination | "Approved"/ reputable suppliers used who can demonstrate legal compliance Delivery vehicle, equipment and containers clean and hygienic. Delivery staff demonstrate good hygienic practices Food specifications set Packaging intact and in good condition Raw and ready to eat foods separated Food protected from contamination Food and non-food items e.g., chemicals kept separate during transportation | 10°1 | Checks to ensure: - Food/products from approved/reputable supplier Transportation, equipment and containers clean and hygienic. Delivery staff demonstrate good hygienic practices Food meets specifications Packaging intact Raw and ready to eat food separated during transportation Food has not been near to chemicals during transportation Food and non-food items separated Food protected from contamination To confirm, complete the delivery checks (tick greyed out box) alongside statement "Delivery checks complete" within the Daily Record, in the Daily Diary | Reject food that is not from "approved" or reputable supplier. Where transportation equipment is unhygienic and/or delivery staff show bad hygienic practices consider rejection of food, based on contamination risks. If food does not meet specification review suitability and reject or retain. If retaining, ensure safety will be maintained. If packaging is damaged and raw and ready to eat foods have been in contact reject ready to eat food If chemical contamination has or is likely to have occurred, reject food If there is any evidence that food may have been contaminated reject food Where food is rejected raise issues with supplier Note all problems and corrective actions in the Issues section of Daily Record | | | |
| Microbiological multiplication | Food delivered under temperature control at -18°C or less Food within "Use by" or "Best before" date | Frozen Foods -18°C or less | Between pack food temperatures checked on arrival at food business with a sanitised probe thermometer. Temperatures above -18 ^o C noted in Issues section of Daily Record (recording by exception) "Use by" and "Best before" dates checked | If food has defrosted fully or partially, or is at a temperature higher than -18°C refrigerate it and treat as chilled, cook immediately (if product suitable for cooking) or reject the goods/delivery Reject food that has passed its "Use by" or "Best before" dates Where food is rejected raise issues with supplier Note all problems and corrective actions in Issues section of Daily Record | | | |
| Allergen cross contamination | Approved/reputable suppliers used who can demonstrate legal compliance All necessary information on allergen presence and "May contain" warnings provided by "approved" reputable suppliers in English (imported products to have labels translated/over stickering in English). Foods containing allergens clearly labelled with allergen content and securely packaged/contained Allergen free foods clearly labelled, securely packaged and protected from cross contamination Allergen free products separated from foods containing allergens during transport Separation of unwrapped foods containing allergens from other unwrapped foods Accurate record of allergen presence and "May contain" warnings (Allergen Information Record) established, maintained and available. Staff familiar with system and updated on any changes | | Checks to ensure: - Food/products are from an "approved"/reputable supplier All necessary information on allergen presence and "May contain" warnings provided by suppliers Foods containing allergens securely packed/contained and accurately labelled Allergen free foods clearly labelled, securely packaged/contained and protected from cross contamination Allergen free foods separated from foods containing allergens during transport Separation of unwrapped foods containing allergens from other unwrapped food Packaging intact and in good condition Accurate record of allergen presence and "May contain" warnings (Allergen Information Record) established, maintained and available. Staff familiar with system and updated on any changes | If foods are not from an "approved"/reputable supplier reject them If adequate information on allergen presence and "May contain" warnings is not provided by suppliers reject foods and consider alternative suppliers If there is evidence that contamination may have occurred e.g., failure to separate allergen free food from foods containing allergens, reject foods If labelling and/or packaging missing/ inadequate reject food and review contract with suppliers Note all problems and corrective actions in Issues section of Daily Record | | | |
| Allergen presence | Use of approved/reputable suppliers Food specifications set Where possible "No substitutions" policy agreed with suppliers All necessary information on allergen presence and "May contain" warnings provided by "approved"/ reputable suppliers Checks made on deliveries to identify allergen presence, "May contain" warnings and identify any substitutions. Substitutions evaluated for allergen content and suitability for use assessed. Allergen Information | | Checks to ensure: - Supplier is "approved"/reputable Food meets specifications Substitutions identified and assessed for suitability, Allergen Information Records updated, and relevant staff informed Allergen presence and "May contain" warnings on incoming goods identified and recorded Record of allergens and "May contain" warnings (Allergen Information Records) in foods accurately updated to reflect incoming goods | If food is not from an "approved"/reputable supplier consider suitability for use or dispose of it safely. Retrain staff in purchasing requirements If delivery checks are inadequate e.g., allergens missed/not recorded, or substitutions not identified review system and retrain staff If food does not meet specifications and/or substitutions are not suitable for use reject foods. Where substitutions are accepted ensure Allergen Information Records are amended as necessary and relevant staff are informed In case of regular substitutions consider reviewing supplier contracts | | | |

| | Records amended as necessary Foods containing allergens clearly labelled with allergen content and securely packaged/contained Allergen free foods clearly labelled, securely packaged/contained and protected from contamination Accurate record of allergen presence and "May contain" warnings established, maintained (Allergen Information Record) and updated to reflect incoming goods | Relevant staff aware of any changes in allergen content/presence of "May contain" warnings Food containing allergens clearly labelled with allergen content and securely packaged/contained Allergen free foods clearly labelled, securely packaged/contained and protected from contamination If failures to accurately update Allergen Information Records review and amend system and retrain staff as necessary Note all problems and corrective actions in Issues section of Daily Record |
|-------|--|--|
| Notes | | |

| Storage | | | | | | |
|--|---|---------------------------------------|--|--|--|--|
| Frozen Storage | | | | | | |
| 🗴 Hazard | a Controls | Critical Limits | Monitoring Procedures | ✓ Corrective Actions | | |
| Microbiological, physical and chemical contamination. | Food suitably packaged and labelled Food made "In house" suitably wrapped and appropriately labelled, including with "Date of Manufacture/Freezing" Good system of stock rotation Packaging intact Where possible, raw and ready-to-eat products separated in storage Freezers maintained in good working order. Planned maintenance programme for freezers as part of the Cleaning Plan (to maintain good hygiene and limit allergen cross contamination) Chemicals stored in labelled containers away from food areas Food safe chemicals used where appropriate | | Checks to ensure: - Packaging intact Cleanliness and condition of freezers (Cleaning and maintenance check) "Use by" and "Best before" dates on products and stock rotation checks are being carried out. Food is correctly packaged and labelled Separation between raw and ready to eat foods | If packaging is damaged and raw and ready to eat foods are likely to have been in contact dispose of ready to eat food safely If chemical contamination has or is likely to have occurred dispose of food safely If there is evidence of physical contamination dispose of food safely. Where possible de-box items away from food preparation areas If packaging/storage containers appears unhygienic consider safe disposal of food If freezers are dirty or working incorrectly, transfer food to a clean, effectively operating freezer and clean, disinfect, repair or replace the unsatisfactory freezer Review Cleaning Plan and Planned Maintenance schedule and as necessary retrain staff Record details of any breakdowns in the Equipment Breakdown and Repair Record If stock rotation is ineffective review system and retrain staff Note all problems and corrective actions in Issues section of Daily Record | | |
| Microbiological multiplication. | Food stored below load lines (freezers not overstocked) | Frozen Foods -18ºC or colder | Check "Between pack food temperatures" in each freezer, once a day, using a sanitised probe thermometer Record readings in Daily Record. Check "Use by", "Best before" and/or assigned shelf-life dates regularly | If food has defrosted fully or partially, or is at a temperature higher than -18°C refrigerate it and treat as chilled, cook immediately (if product suitable for cooking) or dispose of it safely If temperatures are above -18°C note details in the Issues section of the Daily Record Review freezer storage, reduce loading, service, repair or replace as necessary Review Planned Maintenance Record and details in Equipment Breakdown and Repair Log Safely dispose of food beyond "Use by", "Best Before" date or assigned shelf life Note all problems and corrective actions in Issues section of Daily Record | | |
| Allergen cross contamination | All necessary information on allergen presence and "May contain" warnings provided by "approved"/ reputable suppliers Accurate record of allergen presence and "May contain" warnings (Allergen Information Record) maintained and available. Staff familiar with system and updated on any changes Foods containing allergens clearly labelled with allergen content and securely packaged/contained Allergen free foods clearly labelled, securely packaged and protected from cross contamination Allergen free products stored separately from foods containing allergens, where possible Thorough cleaning programme to include storage areas, facilities and equipment to minimise the presence of allergen debris and residues. Use separate cleaning cloths for cleaning designated storage equipment. | | Checks to ensure: - Accurate record of allergens and "May contain" warnings (Allergen Information Record) maintained and updated. Staff are familiarised with the system and updated on any changes Foods containing allergens securely packed/contained and accurately labelled Allergen free foods clearly labelled, securely packaged/contained and protected from cross contamination Separation of foods free from allergens from foods containing allergens where possible Cleaning is effective to remove and minimise the risk from allergen debris and residues | If failures to accurately update and maintain Allergen Information Records, review and amend system and retrain staff as necessary If cleaning is ineffective review Cleaning Plan and retrain staff. Just because a surface looks clean, does not guarantee it is free of all allergen residues. Not all allergen residues can be removed from equipment or surfaces with uneven, porous cooking surfaces or intricate parts. A thorough two stage cleaning process should be carried out to minimise allergen residues. If labelling is missing/inadequate dispose of food safely, review and amend system. Retrain staff as necessary If there is any evidence that allergen cross contamination may have occurred treat food as if contaminated or discard.it e.g., if packaging is damaged and allergens such as sesame seeds have accumulated at the bottom of a freezer If systems to prevent cross contamination e.g., separation of products, cleaning to remove allergens break down, storage of food in airtight containers etc review systems and retrain staff Note all problems and corrective actions in Issues section of Daily Record | | |

| Allergen presence | All necessary information on allergen presence and "May contain" warnings provided by "approved"/reputable suppliers Information on allergen presence and "May contain" warnings provided for food produced "In house" Accurate record of allergen presence and "May contain" warnings (Allergen Information Records) maintained and available. Staff familiar with system and updated on any changes Foods containing allergens clearly labelled with allergen content and securely packaged/contained Allergen free foods clearly labelled, securely packaged/contained and protected from contamination | warning records accurate, kept up to date (Allergen Information records) and available Staff familiar with Allergen Information Records. Foods containing allergens are clearly labelled and securely packaged/contained | If there are failures to accurately update Allergen Information Records review and amend system and retrain staff as necessary If labelling is missing/inadequate dispose of food safely, review and amend system. Retrain staff as necessary. Note all problems and corrective actions in Issues section of Daily Record |
|-------------------|--|--|--|
| Notes | | | |
| | Contraction of the second seco | | |

Defrosting

| ontrols s placed in a container to collect fluids released g defrosting osting foods protected from contamination e.g., red, whilst defrosting ration of raw and ready to eat foods. Raw foods d below ready to eat foods ration of foods and non-foods. | | contamination risk - defrosting liquid does not contaminate other foods Defrosting foods are protected from | ✓ Corrective Actions If staff do not maintain high standards of personal hygiene, consider contamination risks and safely dispose of food as necessary |
|---|---|--|--|
| g defrosting osting foods protected from contamination e.g., red, whilst defrosting ration of raw and ready to eat foods. Raw foods d below ready to eat foods ration of foods and non-foods. | | Defrosting foods do not pose a contamination risk - defrosting liquid does not contaminate other foods Defrosting foods are protected from | personal hygiene, consider contamination risks |
| nicals stored securely, away from food ration areas. Food safe chemicals used in food ration areas whenever possible maintain high standards of personal hygiene | | contamination e.g., held in lidded container Raw food stored below ready to eat food in refrigerator Chemicals are kept away from defrosting foods. Food safe chemicals used where possible Staff maintain high standards of personal hygiene | Dispose of any food products where there is evidence of contamination If evidence of contamination review defrosting procedures and retrain staff Note all problems and corrective actions in Issues section of Daily Record |
| risk foods defrosted in refrigerator operating at or below r methods: ost under running water SUITABLE FOR RAW MEAT OR POULTRY of defrost setting on microwave nise time out of temperature control | 1001 - 50 JUN | Checks to ensure: - Refrigerator operating at below 5° Time out of temperature control minimised Food is fully defrosted Once defrosted, food is stored under suitable temperature control e.g., refrigerated | Safely dispose of ready to eat foods, that have been out of temperature control for more time than permitted (4-hour rule) If there is evidence food has been out of temperature control beyond permitted limits review defrosting procedures and retrain staff Note all problems and corrective actions in Issues section of Daily Record |
| rate record of allergen presence and "May in" warnings (Allergen Information records) tained and available. Staff are familiarised with ystem and updated on any changes s containing allergens clearly labelled with the content and securely packaged/contained gen free foods clearly labelled and protected contamination gen free foods defrosted separately from foods ining allergens rate, readily identifiable, lidded containers used efforting allergen free foods pugh cleaning of containers used to defrost gen free foods, before re-use, a containers stored away from areas likely to be minated by allergens | | kept up to date and available. Staff familiar with Allergen Information Records Foods containing allergens are clearly labelled and securely packaged/contained Allergen free foods clearly labelled and protected from contamination Separation of allergen free foods from allergen containing foods during defrosting | If there are failures to accurately update Allergen Information Records, review and amend system and retrain staff as necessary If labelling and/or packaging missing/ inadequate, dispose of food safely, review and amend system and retrain staff If there is any evidence that allergen cross contamination may have occurred treat food as if contaminated or discard of it. If systems to prevent cross contamination e.g., separation of products, cleaning to remove allergens, are ineffective review systems and retrain staff Note all problems and corrective actions in Issues section of Daily Record |
| rate record of allergen presence and "May in" warnings (Allergen Information records) tained and available. Staff are familiarised with rstem and updated on any changes s containing allergens clearly labelled with gen content and securely packaged/contained gen free foods clearly labelled, securely aged and protected from contamination | | Staff familiar with Allergen Information Records | If there are failures to accurately update the Allergen Information Records, then review and amend system and retrain staff as necessary If labelling and/or packaging missing/ inadequate dispose of food safely, review and amend system and retrain staff Note all problems and corrective actions in Issues section of Daily Record |
| rate in con min rate in rate in rate gen co gen co gen co gen co | tree foods, before re-use, ntainers stored away from areas likely to be ated by allergens record of allergen presence and "May warnings (Allergen Information records) ed and available. Staff are familiarised with n and updated on any changes ntaining allergens clearly labelled with content and securely packaged/contained free foods clearly labelled, securely | record of allergen presence and "May warnings (Allergen Information records) ed and available. Staff are familiarised with n and updated on any changes ntaining allergens clearly labelled with content and securely packaged/contained free foods clearly labelled, securely | Cleaning is effective to remove and minimise the risk from allergen debris and residues Cleaning is effective to remove and minimise the risk from allergen debris and residues Cleaning is effective to remove and minimise the risk from allergen debris and residues Cleaning is effective to remove and minimise the risk from allergen debris and residues Checks to ensure: Allergen Information records accurate, kept up to date and available. Staff familiar with Allergen Information Records Foods clearly labelled with content and securely packaged/contained free foods clearly labelled, securely and protected from contamination |

Transporting food

| Frozen Transpo | rozen Transport | | | | | | | |
|---|--|--|---|---|--|--|--|--|
| 🏝 Hazards | Controls | Critical Limits | P Monitoring | ✓ Corrective Action | | | | |
| Microbiological, physical and chemical contamination | Containers or vehicles used to transport food kept clean, disinfected as necessary and maintained in good condition Raw and ready to eat foods separated Foods protected against contamination e.g., by covering/wrapping/packaging or placing in lidded containers Packaging intact Food and non-food items kept separate Staff maintain high standards of personal hygiene | 0. 11 m | Checks to ensure: - Hygienic containers/vehicles used for transportation Packaging intact Raw and ready to eat foods separated Food protected from contamination Food has not been transported near to chemicals Staff maintain high standards of personal hygiene There are no unexpected odours, which may indicate chemical contamination Food and non-food items separated | If containers/vehicles are not clean and hygienic assess contamination risks and as necessary, safely dispose of ready to eat foods If staff do not maintain high standards of personal hygiene, then consider contamination risks and safely dispose of food as necessary If raw and ready to eat foods have been in contact dispose of the ready to eat foods safely Dispose of any food products where there is evidence that cross contamination may have occurred Dispose of food products with an unexpected chemical odour Dispose of food, where packaging is damaged or absent, or where the food has been near to chemicals Review transportation procedures where problems occur Retrain staff as necessary Note all problems and corrective actions in Issues section of Daily Record | | | | |
| Microbiological multiplication | frozen food, capable of maintaining a temperature of -18°C or less | Frozen Foods -18ºC or colder | Food temperatures checked with a probe thermometer, between packs, on arrival at destination. Temperatures above -18 ° C noted in Issues section of Daily Record | If food has fully or partially defrosted, or is at a temperature higher than -18°C then refrigerate it and treat as chilled (where appropriate), cook immediately or dispose of it safely Safely dispose of food beyond its "Best before" or "Use by" dates Note all problems and corrective actions in Issues section of Daily Record | | | | |
| Allergen cross contamination | Accurate record of allergen presence and "May contain" warnings (Allergen Information records) maintained and available. Staff are familiarised with the system and updated on any changes Effective cleaning of transport storage facilities, such as freezers and cold boxes to limit risk of allergen build up Foods containing allergens clearly identified, labelled and securely packaged Allergen free foods clearly labelled, securely packaged and protected from contamination Allergen free products stored separately from foods containing allergens during transport. Separate, readily identifiable, lidded containers used for transporting allergen free foods Clean containers stored away from areas likely to be contaminated by allergens | | Allergen Information records accurate, kept up to date and available Staff familiar with Allergen Information Records Effectiveness of cleaning to remove allergen residues Products containing allergens securely packaged/contained and labelled Allergen free foods clearly labelled and protected from contamination Separation of foods containing allergens and allergen-free materials Measures to limit/remove cross contamination risks are in place e.g., use of readily identifiable, lidded containers for transporting allergen free | If there are failures to accurately update Allergen Information Records, then review and amend system and retrain staff as necessary If labelling and/or packaging missing/ inadequate, dispose of food safely, review and amend system and retrain staff If there is any evidence that allergen cross contamination may have occurred, then treat food as if contaminated or discard.it If systems to prevent cross contamination e.g., separation of products, cleaning to remove allergens, are ineffective review systems and retrain staff Note all problems and corrective actions in Issues section of Daily Record | | | | |
| Allergen presence | Accurate record of allergen presence and "May contain" warnings (Allergen Information records) maintained and available. Staff are familiarised with the system and updated on any changes Foods containing allergens clearly labelled with allergen content and securely packaged/contained Allergen free foods clearly labelled and protected from contamination | | Allergen Information Records accurate, kept up to date and available Staff familiar with Allergen Information Records Foods containing allergens are clearly | If there are failures to accurately update Allergen Information Records, then review and amend system and retrain staff as necessary If labelling and/or packaging missing/ inadequate, dispose of food safely, review and amend system and retrain staff Note all problems and corrective actions in Issues section of Daily Record | | | | |

| Preparation | | Pr | eparation | |
|---|--|--------------------|---|--|
| ▲ Hazards | a Controls | Critical Limits | P Monitoring | ✓ Corrective Action |
| Microbiological, contamination | All food preparation surfaces, and equipment maintained in good condition and appropriately cleaned and disinfected Good workflow to minimise risk of contamination Direct handling of ready to eat food minimised e.g., tools and equipment used Raw and ready to eat foods separated in storage and during preparation Separate areas for preparation of raw and ready to eat foods, where possible. Separate tools and equipment used for raw and ready to eat food preparation Where raw and ready to eat foods are prepared on the same worksurfaces, preparation processes are separated by time and thorough cleaning and disinfection (two-stage cleaning processes) Use of colour coded boards, tools and equipment, where possible Shared equipment thoroughly cleaned and disinfected before changing from raw to ready to eat preparation NOTE. Complex equipment such as mincers, slicers, vacuum packers, weighing scales etc (complex equipment) must not be used for both raw and ready to eat food preparation. Staff maintain high standards of personal hygiene Fitness to work policy implemented | | Checks to ensure: - Effective cleaning and disinfection Good standards of personal hygiene in place for all food handlers before and during work, including hand washing Suitable separation of raw and ready to eat foods during handling and preparation Separate complex equipment for raw and cooked food preparation Fitness to Work policy is properly implemented | Dispose of food products where there is evidence of, or a high risk of contaminatio e.g., use of the same chopping board for preparing raw and ready to eat foods without thorough cleaning and disinfection between uses or lack of handwashing by food handlers Review Cleaning Plan if cleaning and disinfection is found to be inadequate Refresh staff hygiene training where necessary. Retrain staff in safety management control as necessary Note all problems and corrective actions in Issues section of Daily Record |
| Microbiological multiplication | Limit the time periods when chilled high risk foods are outside of temperature control during preparation Minimise quantities of high-risk food being prepared at any one time High risk food products returned to temperature control as soon as preparation completed | for 1 single | Time outside temperature control monitored for high-risk foods Checks to ensure amount of high-risk food under preparation at any one time is minimised | If issues with time high risk foods out of temperature control: Dispose of any high risk, chilled products kept outside temperature control for more than 1 period, of up to a maximum of 4 hours (See 4-hour rule) Review preparation processes as necessary Retrain staff as necessary. Note all problems and corrective actions in Issues section of Daily Record |
| Physical and chemical contamination | Use "approved"/reputable food suppliers – to reduce risk of physically or chemically contaminated ingredients Preparation areas and equipment maintained in a sound condition Food that is likely to contain physical contaminants is thoroughly cleaned/washed, especially ready to eat foods such as salad leaves Food protected from chemical contamination Chemicals stored securely, away from food. Food safe chemicals used where possible Open food is protected from contamination when cleaning is in progress | | Checks to ensure: - Only approved/reputable suppliers used Preparation areas and equipment maintained in good condition Effective washing of high-risk foods such as salads or soft fruits Staff store, handle and use cleaning chemicals correctly | Safely dispose of food not from "approved"/reputable suppliers. Repair any damage to food preparation areas and/or replace damaged equipment If there is recurrence of contaminated food return/dispose of food and raise issues with supplier(s). If there is frequent recurrence, consider alternative suppliers If there is evidence that chemical contamination may have occurred dispose of food safely Review chemical handling processes and storage. Retrain staff as necessary Note all problems and corrective actions in Issues section of Daily Record |
| Allergen cross contamination | Accurate record of allergen presence and "May contain" warnings (Allergen Information Records) maintained and available. Staff are familiarised with the system and updated on any changes If there are recipe changes/ ingredients are substituted, then the Allergen Information Records must be updated to reflect any change in allergen content. Staff check records before food preparation and implement measures to prevent allergen contamination occurring | | Foods containing allergens clearly labelled with allergen content and securely packaged/contained Thorough cleaning to remove allergen residues Separate equipment and tools for | If failures to accurately update Allergen Information Records, review and amend system and retrain staff as necessary If labelling and/or packaging missing/ inadequate, dispose of food safely, review and amend system and retrain staff. If staff fail to check allergen records before food preparation, then retrain staff If cleaning to remove allergen presence is ineffective, then review Cleaning Plan and |

| | Foods containing allergens clearly labelled with allergen content and securely packaged/contained Thorough cleaning to limit risk of allergen cross contamination Allergen free foods prepared separately from foods containing allergens Clean designated tools and equipment used for preparation of allergen free foods Allergen free foods clearly labelled and protected from contamination Good staff personal hygiene to limit cross contamination. Staff trained to maintain high standards of personal hygiene to limit allergen transfer e.g., thorough handwashing before preparation of allergen free foods, change of protective clothing as move from general preparation to allergen free food preparation etc. | | Allergen free foods protected from contamination Staff are maintaining high levels of personal hygiene e.g., hand washing, clothing changes etc to limit risk of allergen transfer Allergen free foods clearly labelled and protected from contamination | retrain staff If staff fail to follow measures to limit cross contamination risks review arrangements and retrain staff If there is any evidence that allergen cross contamination may have occurred, treat food as if contaminated or discard of it If systems to prevent cross contamination e.g., separation of products, cleaning plans etc are ineffective then review systems and amend as necessary Where changes are made to systems ensure staff are fully trained in the new arrangements Note all problems and corrective actions in Issues section of Daily Record |
|----------------------|---|---|--|---|
| Allergen presence | Accurate record of allergen presence and "May contain" warnings (Allergen Information Records) maintained and available. Staff are familiarised with the system and updated on any changes. Staff check records before preparing food Foods containing allergens clearly labelled with allergen content and securely packaged/contained Full information on all recipes, ingredients and processes available to ensure consistency of product (in terms of allergen presence or absence), Standard recipes used where possible Staff trained in ways to prepare foods that are free from specific allergens and to ensure food is protected from contamination during and after preparation System in place to track requests for foods free from specific allergens from point of order, through preparation, cooking, and onto service or delivery to customer | 000000000000000000000000000000000000000 | Checks to ensure: - Allergen presence and "May contain" warnings records (Allergen information Records) are maintained, accurate and available Staff refer to Allergen Information Records before food preparation Foods containing allergens clearly are labelled with allergen content and securely packaged/contained Accurate recipes are available, and staff trained to follow specifications Allergen free foods are prepared safely Allergen free requests are clear and that foods are prepared to match the order requirements, and are readily identifiable There is an effective system in place to identify and track foods free from specific allergens, throughout preparation to the point of service or delivery to the customer | If there are failures to accurately update Allergen Information Records, then review and amend system and retrain staff as necessary If labelling and/or packaging missing/ inadequate then dispose of food safely, review and amend system and retrain staff If staff fail to check allergen records before preparing allergen free orders, retrain staff If system to identify and track foods free from specific allergens through preparation process and beyond fails then review, amend and retrain staff. Where there is any risk that allergens are present in an allergy free request the food must not be served or sold to the customer. The safest option will be to safely discard of the food Where changes are made to systems staff must be trained in the new arrangements Note all problems and corrective actions in Issues section of the Daily Record |
| Notes | | I | 1 | <u></u> |

Cooking

| Cooking | | | | | | |
|--|---|---|--|--|--|--|
| 🏝 Hazards | Controls | Critical Limits | Monitoring | ✓ Corrective Action | | |
| Microbiological, physical and chemical contamination | Raw and ready to eat foods separated before and during cooking processes Use of colour coded tools and utensils for ensuring separation in processing raw and ready to eat foods. Food protected from contamination whilst awaiting and during cooking e.g., covered before cooking Direct food handling minimised, use of tools where possible Staff maintain high standards of personal hygiene Chemicals stored securely, away from food Food safe chemicals used where possible. Manufacturers advice on the use of chemicals is followed Premises maintained in good, hygienic condition Cooking equipment and tools maintained in good condition and cleaned and disinfected appropriately Appropriate protection to prevent environmental contamination when cooking outdoors | | Checks to ensure: - Separation of raw and ready to eat foods Appropriate use of colour coded equipment and tools Staff maintain high standards of personal hygiene Premises, equipment, tools, and utensils hygienic and maintained in good condition Food is protected from environmental contamination (when working outdoors) Cleaning chemicals safely stored away from food and used according to manufacturer's instructions | If there is failure to implement measures to prevent cross contamination e.g., use of colour coded tools etc then review measures and retrain staff If unsafe use of chemicals, then review Cleaning Plan and retrain staff If damage to premises, equipment and tools then repair and/or replace. Review maintenance schedules If there is inadequate protection from outdoor environmental contamination, then review and replace the protection arrangements Discard all foods that may have been contaminated Note all problems and corrective actions in Issues section of Daily Record | | |
| Post process (cooking) contamination | Food protected from risk of post process contamination e.g., by use of covered containers, packaging, wrapping etc Limited direct handling wherever possible High standards of personal hygiene where direct handling is necessary | 2 | Checks to ensure food protected from post process contamination e.g., use of covered or lidded containers | If post process contamination is likely then review control measures, amend an retrain staff Dispose of any ready to eat foods that ar likely to be contaminated | | |
| Microbiological multiplication, survival/spore/toxi formation | Foods cooked to a safe temperature e.g., 70°C for 2 minutes or 75°C for 30 seconds at centre. A time/temp combination where there is good evidence that food safety is maintained e.g. cooking certain whole muscle meat "pink" NOTE. Some foods can be safely cooked to a lower temperature e.g., whole muscle meat such as topside, steak, lamb joints and venison joints Rolled or minced meats, pork and poultry must be in thoroughly cooked i.e., have no pink meat at the centre. Frozen meat and poultry thoroughly defrosted before cooking Foods that are cooked in liquids stirred frequently to distribute heat evenly and avoid creation of cold spots Food cooked within "Use by", "Best before" or assigned shelf life | 65°C for 10 mins or 70°C for 2 mins or 75°C for 30 | Core temperatures checked with sanitised probe thermometer to ensure food has been thoroughly cooked Check for evidence of undercooking such as pink meat at the centre (unless specified as safe or justified by a separate full risk assessment)) Temperature checks recorded in Daily Record. It will be up to the FBO or Responsible Person to decide on which checks to record. Checks should be focused on higher risk foods and should represent the range of cooked food produced Checks to ensure food being cooked in liquids are stirred frequently Checks to ensure food had not passed "Use by", "Best by" or assigned shelf life before cooking | and has NOT been permitted by a | | |
| Allergen cross contamination | Accurate record of allergen presence and "May contain" warnings (Allergen Information Records) maintained and available. Staff are familiarised with the system and updated on any changes. Staff trained to check records before cooking food and implementing measures to prevent allergen cross contamination occurring Thorough cleaning of cooking areas, equipment, tools and utensils to limit risk of allergen cross contamination Allergen free foods cooked using separate, identifiable tools, utensils and equipment, from those used for cooking foods containing allergens Fresh deep fat frying oil (and any similar "reusable" cooking liquids) used for cooking allergen free foods | | Checks to ensure: - Allergen records and "May contain" warnings identified, and records kept up to date. Staff refer to Allergen Information Records before cooking allergen free meals Effective cleaning carried out to remove allergen debris and to minimise build-up of allergen residues Foods containing allergens clearly labelled with allergen content and securely packaged/contained Separation of foods containing allergens and allergen-free materials during preparation Fresh oil and separate frying equipment in use for deep frying allergen free foods | If labelling and/or packaging missing/ inadequate, then dispose of food safely, review and amend system and retrain | | |

| | Allergen free foods clearly labelled and protected from contamination Foods containing allergens clearly labelled with allergen content and securely packaged/contained Staff trained to maintain high standards of personal hygiene to limit allergen transfer (e.g., thorough handwashing and change of protective clothing) before cooking allergen free foods | personal hygiene e.g., hand washing, clothing changes etc in order to limit risk of allergen transfer | If there is any evidence that allergen cross contamination may have occurred, then treat food as if contaminated or discard of it If changes are made to systems, ensure staff are fully trained in the new arrangements Note all problems and corrective actions in Issues section of Daily Record |
|-------------------|---|---|---|
| Allergen presence | Accurate record of allergen presence and "May contain" warnings (Allergen Information Records) maintained and available. Staff are familiarised with the system and updated on any changes. Staff check records before cooking food Foods containing allergens clearly labelled with allergen content and securely packaged/contained Full information on all recipes, ingredients and processes available. Staff trained to follow recipes and specified cooking processes. Standard recipes used where possible Staff trained in ways to cook foods that are free from specific allergens and to ensure food is protected from contamination during and after cooking If after cooking foods that are free from specific allergens, they are not going to be served to the customer straight away then ensure that they are packaged, labelled and stored appropriately Ensure there is a system in place to identify and track foods free from specific allergens from the cooking process and onto next stages e.g., service to customers, hot holding, chilling, packaging, labelling or placing into suitable storage | Checks to ensure: - Allergen presence and "May contain" warnings are identified, and records are kept up to date Staff refer to the Allergen Information records before cooking meals that are free from certain allergens Staff follow recipe specifications and take measures to produce food free from specified allergens Food is protected from contamination during and after cooking Tracking system in place to identify food order as free from specific allergens throughout cooking stages and on to service or further processing stages | If there are failures to accurately update Allergen Information Records, then review and amend system and retrain staff as necessary If staff fail to check the Allergen Information Records before cooking allergen free orders, then retrain staff If staff fail to follow detailed recipe specifications and/or specific measures to produce allergen free foods, discard food and retrain staff If system to track allergen free orders fails, is unclear or there is evidence that contamination may have occurred, then discard of the food, review system and retrain staff If there is any risk that allergens are present in an allergy free request, then this food must not be served or sold to the customer. The safest option will be to discard of the food Where changes are made to these systems then staff must be trained in the new arrangements Note all problems and corrective actions in the Issues section of the Daily Record |
| Notes | | | |
| | 03/P01/202 | | |

Cooling

| | | | ooling | |
|--|---|--|--|--|
| Cooling | 1 | | r | 1 |
| 🚹 Hazards | Scontrols | Critical Limits | Monitoring | ✓ Corrective Action |
| Microbiological, hysical and hemical contamination | Premises, equipment and tools maintained in good condition and cleaned and disinfected appropriately Cooling foods protected from post process contamination e.g., by covering them (loosely) High standards of staff personal hygiene maintained Chemicals stored securely, away from food and used in accordance with manufacturer's instructions Food safe chemicals used where possible Open food removed when cleaning in progress | | Checks on the measures in place to protect against post process contamination Checks on hygiene and cleanliness of premises, equipment, tools and utensils Checks on safe usage and storage of cleaning chemicals | If there is any evidence that 'cooling' food ma have been contaminated, then dispose of it safely Review systems to protect against contamination, retrain staff Note all problems and corrective actions in Issues section of Daily Record |
| ficrobiological nultiplication, rowth of spores nd toxin roduction | Food is cooled rapidly • Blast chiller used if available- food should reach refrigeration temperature within 90 minutes Alternatively • Food bulk minimised e.g., joints less than 2.5 Kgs • Food surface area maximised (e.g. food placed into shallow containers) • Food containers placed in ice water baths or in clean, cool areas Target – Food cooled to refrigeration temperature within 90 to 120 minutes | Food cooled and refrigerated as quickly as possible, target 90- | Checks on measures to maximise cooling rate Checks on cooling time and final temperature of products- measured with a sanitised probe thermometer. NOTE. The FBO or Responsible Person must select the items for which cooling times and temperatures will be recorded. Items selected should be high risk. For the selected items the time at the start of cooling and the centre temperature must be recorded. When cooling ceases, the centre temperature of the food and the time must be recorded. Details are recorded in the Cooling section of the Daily Record | If the blast chiller cannot cool food to refrigeration temperature within 90 minutes, then review quantity of food involved, conside need for maintenance or replacement If food cannot be cooled to refrigeration temperature within 120 minutes, consider risk from bacterial/spore growth/ production of toxins. Decisions should be based on length of cooling time and core temperature achieved Review cooling methods and amend as necessary. Retrain staff. Dispose of food where there is a risk of bacterial multiplication, spore growth or production of toxins Note all problems and corrective actions in the Issues section of Daily Record |
| Allergen cross | Accurate record of allergen presence and "May contain" warnings (Allergen Information Records) maintained and available. Staff are familiarised with the system and updated on any changes Foods containing allergens clearly labelled with allergen content and securely packaged/contained Thorough cleaning of cooling areas, equipment, tools and utensils to limit risk of allergen cross contamination Designated containers and tools used for cooling allergen free foods. Clean containers stored away from areas likely to be contaminated by allergens Allergen free foods cooled separately from foods containing allergens. Cooling food protected from risk of contamination e.g., by use of loose wrapping/covers. Allergen free foods clearly labelled and protected from contamination Staff trained to maintain high standards of personal hygiene to limit allergen transfer e.g., thorough handwashing before handling allergen free foods, | | | If failures to accurately update Allergen Information Records, review and amend systen and retrain staff as necessary If labelling and/or packaging missing/ inadequate, dispose of food safely, review and amend system and retrain staff If cleaning to remove allergen presence is ineffective review the Cleaning Plan and retrai staff If there is failure to use clean, separate, readily identifiable containers, tools and equipment fo cooling allergen free foods, then assess the contamination risks and consider whether it is necessary to safely discard of these foods. Review arrangements and retrain staff If staff fail to follow measures to minimise cross contamination risks, then review arrangements and retrain staff Where there is any evidence that allergen cros contamination may have occurred treat food as if contaminated or discard of it. Where changes are made to systems, ensure staff are fully trained in the new arrangements Note all problems and corrective actions in the Issues section of Daily Record |
| Allergen oresence | Accurate record of allergen presence and "May contain" warnings (Allergen Information Records) maintained and available. Staff are familiarised with the system and updated on any changes Foods containing allergens are clearly labelled with allergen content and securely packaged/contained Staff are trained in ways to cool foods that are free from specific allergens and to ensure food is protected from contamination during and after cooling After cooling foods free from specific allergens, they are packaged, labelled and stored appropriately | | Checks to ensure: - Allergen presence and "May contain" warnings are identified, and records kept up to date Staff follow the correct procedures for cooling products that are part of an "allergen free request" Tracking system in place to identify food orders (Allergen free requests) throughout the cooling stage and on to service or further processing stages | If there are failures to accurately update Allergen Information Records, then review an amend system and retrain staff as necessary If labelling and/or packaging missing/ inadequate then dispose of food safely, review and amend system and retrain staff If system to track allergen free orders fails, is unclear or there is evidence that contamination may have occurred, then discard food, review system and retrain staff If there is any risk that allergens are present ir an "allergy free" request, then food must not b |

| Systems are in place to identify and track foods free from specific allergens during cooling process | served or sold to the customer. The safest option will be to discard the food |
|--|---|
| Systems in place to identify and track foods free from' specific allergens, through cooling process and onto next stages e.g., service to customers, chilling, | Where changes are made to systems, staff must be trained in the new arrangements |
| packaging, labelling or placing into suitable storage. | Note all problems and corrective actions in the Issues section of Daily Record |
| Notes | |

Contraction of the same of the

| | Chilled Display | | | | | | |
|---|--|--|--|---|--|--|--|
| Chilled display | | | | | | | |
| Å Hazard | a Controls | Critical Limits | Monitoring Procedures | ✓ Corrective Actions | | | |
| Microbiological, physical and chemical contamination | Raw and ready-to-eat foods separated Separate colour coded equipment, utensils and tools used when handling raw and ready-to-eat foods Clean, hygienic display units, containers and tools used Foods protected from contamination e.g., use of sneeze screens, covering or packaging foods High standards of staff personal hygiene maintained Equipment and premises maintained in good condition Chemicals stored securely, away from food Food safe chemicals used where possible Manufacturers advice followed Foods displayed in suitable food grade packaging | | Regular checks on display units to ensure separation of raw and ready to eat products and protection from contamination Checks to ensure: - • Hygiene and cleanliness of food containers • Premises and equipment are in good condition • Staff personal hygiene is properly maintained • Staff handle and use cleaning chemicals correctly • Suitable food grade packaging/wrapping used | If raw and ready to eat foods are not properly separated or protected e.g., by sneeze screens, then review likelihood of contamination. If there is evidence that contamination may have occurred, then dispose of the food safely and retrain staff If there is failure to use colour coded equipment and tools, review likelihood of contamination. If there is evidence that contamination may have occurred, then dispose of the food safely and retrain staff If display units and/or containers are unhygienic transfer food to a suitable clean and hygienic alternative. Dispose of any food likely to have been contaminated. Review Cleaning plan and retrain staff If there is poor staff personal hygiene, consider the risk of food contamination. If contamination is likely, dispose of food If premises or equipment are in poor condition, then repair or replace and consider contamination risks. If there is evidence that chemical contamination may have occurred, dispose of food safely and retrain staff Note all problems and corrective actions in the Issues section of the Daily Record | | | |
| | Critical limit 8ºC at centre of food | Chilled Food on display 8°C or less at centre | Temperature of food on display checked twice daily with a sanitised probe thermometer. It will be up to the FBO or Responsible Person to select the items for which centre temperature readings will be recorded. Items selected should be high risk. Selected temperature check results must be documented in the Daily Record – Chilled Storage section Checks to ensure food within "Use by" dates, or assigned shelf life | If the temperature of the chilled food has risen above 8°C then disposal is the safest option Where assessed as safe the 4-hour rule can be used 4-hour rule This allows chilled food to be kept at a temperature higher than 8°C for 1 period of up to 4 hours. Where this exemption is used it is up to the Food Business Operator or Responsible Person to demonstrate that the 4-hour period has not been exceeded If the period has been exceeded, then the food must be disposed of safely Only one period of time outside temperature control is allowed, no matter how short Use of the 4-hour rule should be noted in the issues section of the Daily Record Note. The 4-hour rule does not apply in Scotland Food that has exceeded its "Use by date" or assigned shelf life must be disposed of safely Note all problems and corrective actions in the Issues section of the Daily Record | | | |
| | NOTE. Requests for food free of allergens will vary in their requirements. As a result, orders are likely to be prepared on request and so the need for chilled display is likely to be limited. If this is not the case the following control measures will need to be in place Accurate record of allergen presence and "May contain" warnings (Allergen Information Records) maintained and available. Staff are familiarised with the system and updated on any changes Foods containing allergens clearly labelled with allergen content and securely packaged/contained Thorough cleaning of display area and display equipment to limit risk of allergen cross contamination | | Checks to ensure: - Allergen Information Records are accurate and available Effective cleaning carried out to remove allergen debris and to minimise build-up of allergen residues Readily identifiable containers for allergen free foods Separation of foods containing allergens from allergen free materials Products containing allergens suitably identified Allergen free foods clearly labelled and protected from contamination | If there are failures to accurately update Allergen Information Records, then review and amend system and retrain staff as necessary If labelling and/or packaging missing/ inadequate, then dispose of food safely, review and amend system and retrain staff If systems to prevent cross contamination e.g., separation of products, cleaning to remove allergens, staff personal hygiene etc inadequate or improperly used review systems and retrain staff If there is any evidence that allergen cross contamination may have occurred, then treat food as if contaminated or discard of it Note all problems and corrective actions in the Issues section of the Daily Record | | | |

| | Allergen free foods displayed in separate cold display unit from foods containing allergens. Separate, readily identifiable, containers used for allergen free foods. Clean containers stored away from areas likely to be contaminated by allergens Allergen free foods clearly labelled and protected from contamination Staff trained to maintain high standards of personal hygiene to limit allergen transfer e.g., thorough handwashing before handling "allergen free" foods, | | Staff are maintaining high standards of personal hygiene | | |
|----------------------|--|---|--|---|--|
| Allergen presence | Accurate record of allergen presence and "May contain" warnings (Allergen Information Records) maintained and available. Staff are familiarised with the system and updated on any changes Foods containing allergens clearly labelled with allergen content and securely packaged/contained Staff trained to ask customers if they have any food allergies and to take down accurate details of any request for food free of specific allergens System in place to provide customer with full information on the presence of allergens as ingredients used in other foods, as kitchen is not allergen free. Suitably risk assessed "May contain" warnings used where appropriate. Correct allergen information is given to the customer as well as information on allergen free foods cannot be produced as a result of limited space and equipment within the kitchen | 0 | Checks to ensure accuracy and availability of allergen presence and "May contain" warnings records Checks to ensure effective allergen information provision systems in place for customers | If there are failures to accurately update Allergen Information Records, then review and amend system and retrain staff as necessary If labelling and/or packaging missing/ inadequate, dispose of food safely, review and amend system and retrain staff If problems with the customer information system occur then review, amend and as necessary retrain staff Note all problems and corrective actions in the Issues section of the Daily Record | |
| Notes | Notes | | | | |

Hot Holding Hot holding Critical Monitoring Procedures Å Hazard 🚨 Controls Corrective Actions Limits If food units and containers are not clean and hygienic, assess contamination risks and if there is evidence of contamination may have occurred safely dispose of ready to eat foods Review Cleaning Plan and retrain staff Clean, hygienic display units, containers and tools used If food is inadequately protected from Regular checks on display units/food contamination (e.g., lack of a sneeze screen), safely dispose of food that is likely to be Foods protected from contamination e.g., use of sneeze containers to ensure clean, hygienic and screens, covering or packaging foods food protected from contamination contaminated. Review protection arrangements Microbiological, High standards of staff personal hygiene maintained and as necessary retrain staff Checks to ensure: physical and Equipment and premises maintained in a sound If there is poor staff personal hygiene and chemical Staff personal hygiene contamination condition evidence that contamination may have occurred, Premises and equipment are in good condition Staff handle and use cleaning then safely dispose of food Chemicals stored away from food. Manufacturers advice on use of chemicals followed If problems with premises or equipment chemicals correctly condition, repair or replace damaged elements Food safe chemicals used where possible If evidence that chemical contamination may have occurred then dispose of food safely, review use of chemicals and storage and retrain staff Note all problems and corrective actions in the Issues section of the Daily Record If hot holding equipment is not properly preheated before use, then retrain staff If hot holding equipment unable to hold food at required temperatures repair or replace Checks to ensure pre-heating of hot holding equipment The 2-hour rule: A sample of foods are temperature Food may be hot held at less than 63°C for a checked, with a sanitised probe single period of **not more than 2 hours.** thermometer If this option is chosen it will be up to the FBO Note: Hot food must be held at or above or Responsible Person to demonstrate that the 63°C. To manage this, NCASS ime period has not been exceeded recommends that the food temperature is checked at the time it is placed into the not holding equipment and that the food Note : Hot held food must only have one period should not be held for longer than 2 of up to 2 hours below 63°C Hot holding equipment brought up to temperature Microbiological hours. During that time checks should be before use multiplication, Hot food made at the one hour and the two-hour Note: The 2-hour rule does not apply in formation of held at points. Such a procedure will ensure that Scotland Food held at 63°C or above toxins and 63°C or any drop in temperature will be covered germination of above If hot food has fallen to a temperature below 63 Food within "Best before", "Use by" date or assigned by the temperature exemptions (2-hour spores ule). ^oC disposal is the safest option. shelf life It will be up to the FBO or Responsible In England, Wales and Northern Ireland if the Person to select the items for which FBO can prove that this has been for a single period of less than 2 hours the food may be: centre temperatures, at the specified intervals, will be recorded. Items selected should be high risk. Chilled to 8°C or less, and kept at that temperature or Temperature check results must be documented in the Daily Record – Hot Reheated to above 63°C and held at that Holding section temperature Checks to ensure food within "Use by If the 2-hour rule is used it must be documented 'Best before" dates, or assigned shelf life in the Daily Record Food that has exceeded its "Use by", "Best before" date or assigned shelf life disposed of safelv Allergen cross NOTE. Requests for food free of allergens will vary Checks to ensure: -If failures to accurately update Allergen ontamination in their requirements. As a result, orders are likely Information Records, review and amend system Allergen Information Records are and retrain staff as necessary to be prepared on request and so the need for hot holding is likely to be limited. accurate and available Staff are familiar with Allergen If labelling and/or packaging missing/ If this is not the case the following control measures Information Records system inadequate, then dispose of food safely, review Effective cleaning carried out to will need to be in place and amend system and retrain staff remove allergen debris and to minimise build-up of allergen If there is any evidence that allergen cross Accurate record of allergen presence and "May contain" warnings (Allergen Information Records) maintained and available. Staff are familiarised with contamination may have occurred, then treat food residues Readily identifiable, containers as if contaminated or discard of it the system and updated on any changes used for allergen free foods f systems to prevent cross contamination e.g., Separation of foods containing Foods containing allergens clearly labelled with separation of products, cleaning to remove allergens and allergen-free foods allergen content and securely packaged/contained allergens, staff personal hygiene etc are Products containing allergens inadequate or improperly used review systems suitably identified and retrain staff

| Staff hygie | rgen free foods clearly labelled and protected from amination f trained to maintain high standards of personal ene to limit allergen transfer e.g., thorough lwashing before handling allergen free foods | | | |
|--|--|----|---|--|
| Allergen allerg presence Allerg system prosence Allerg packa | urate record of allergen presence and "May ain" warnings (Allergen Information Records) itained and available. Staff are familiarised with system and updated on any changes ds containing allergens clearly labelled with gen content and securely packaged/contained rgen free foods clearly labelled and securely taged em in place to provide customer with full rmation on presence of allergens as ingredients and y contain" warnings | 9/ | Checks to ensure: - Accuracy and availability of allergen presence and "May contain" warnings records Staff are familiar with the allergen information records There is an effective system in | If failures to accurately update Allergen Information Records, review and amend system and retrain staff as necessary If labelling and/or packaging missing/ inadequate, then dispose of food safely, review and amend system and retrain staff If there are problems with customer information system review, amend and as necessary retrain staff Note all problems and corrective actions in the Issues section of the Daily Record |

Contraction of the second seco

| Ambient Display | | | | | | |
|--|--|--------------------|---|--|--|--|
| Ambient display | Ambient display | | | | | |
| 🔥 Hazard | a Controls | Critical Limits | P Monitoring Procedures | ✓ Corrective Actions | | |
| Microbiological, physical and chemical contamination. | Raw and ready-to-eat foods separated Separate colour coded tools used when handling raw and ready-to-eat foods Clean and hygienic display units, containers and tools used Foods protected from contamination e.g., use of sneeze screens, covering or packaging foods High standards of staff personal hygiene maintained Chemicals stored securely, away from food Food safe chemicals used where possible. Manufacturers advice followed for use of chemicals | | Regular checks on display units to ensure separation of raw and ready to eat products and protection from contamination Checks to ensure: - • Adequate Hygiene and cleanliness of food containers • Suitable condition of display equipment • Staff are maintaining personal hygiene • Staff handle and use cleaning chemicals correctly | If food units and containers are not clean and hygienic, then assess contamination risks and if there is any evidence that contamination may have occurred then safely dispose of ready to eat foods Review Cleaning Plan and retrain staff If food is inadequately protected from contamination (e.g., lack of a sneeze screen) then safely dispose of food that is likely to be contaminated. Review protection arrangements and retrain staff as necessary If poor staff personal hygiene, then consider the risk of food contamination. If there is any evidence that contamination may have occurred, safely dispose of ready to eat foods and retrain staff If premises or equipment is in poor condition, repair or replace damaged elements. Review maintenance programme If there is any evidence that chemical contamination may have occurred, safely dispose of foods. Review use of chemicals and storage, retrain staff Note all problems and corrective actions in the Issues section of the Daily Record | | |
| multiplication | Stock rotation in place to ensure food in good condition Food within "Best before" date | | Checks to ensure food in good condition Checks to ensure Stock Rotation system in place and effective | Food outside "Best before" date disposed of safely Food in poor condition is disposed of safely If there is a stock rotation system failure, review system and retrain staff Note all problems and corrective actions in the Issues section of the Daily Record | | |
| Allergen cross contamination. | Accurate record of allergen presence and "May contain warnings" (Allergen Information Records) maintained and available. Staff are familiarised with the system and updated on any changes Foods containing allergens clearly labelled with allergen content and securely packaged/contained Thorough cleaning of display area and display equipment to limit risk of allergen cross contamination Allergen free foods displayed separately from foods containing allergens. Separate, readily identifiable, containers used for allergen free foods. Clean containers stored away from areas likely to be contaminated by allergens Allergen free foods clearly labelled and protected from contamination Staff trained to maintain high standards of personal hygiene to limit allergen transfer e.g., thorough handwashing before handling allergen free foods | | Checks to ensure: - Record of allergen presence and "May contain" warnings (Allergen Information Records) accurate, up to date and available. Checks to ensure staff are familiar with the system and updated on changes Effective cleaning carried out to remove allergen debris and to minimise build-up of allergen residues Readily identifiable, containers used for allergen free foods Separation of foods containing allergens and allergen-free materials Allergen free foods clearly labelled and protected from contamination Staff are maintaining high standards of personal hygiene | If there are failures to accurately update Allergen Information Records, then review and amend system and retrain staff as necessary If staff are not familiar with the allergen information Records system, update and retrain them. If labelling and/or packaging missing/ inadequate, then dispose of food safely, review and amend system and retrain staff Where there is any evidence that allergen cross contamination may have occurred, treat food as contaminated or discard of it If systems to prevent cross contamination (e.g., separation of products, cleaning to remove allergens, staff personal hygiene etc) are inadequate or improperly used, then review systems and retrain staff Note all problems and corrective actions in the Issues section of the Daily Record | | |
| | Accurate record of allergen presence and "May contain" warnings (Allergen Information Records) maintained and available. Staff are familiarised with the system and updated on any changes Foods containing allergens clearly labelled with allergen content and securely packaged/contained Allergen free foods clearly labelled and protected from contamination System in place to provide customer with full information on presence of allergens as ingredients and of "May contain" warnings | | Checks to ensure: Accuracy and availability of allergen presence and "May contain" warnings records Staff are familiar with the system and updated on changes Effective allergen information provision systems in place for customers | If there are failures to accurately update Allergen Information Records, then review and amend system and retrain staff as necessary If labelling and/or packaging missing/ inadequate, then dispose of food safely, review and amend system and retrain staff If there are problems with the customer information system then review, amend and as necessary retrain staff Note all problems and corrective actions in the Issues section of the Daily Record | | |

Notes

Contraction of the second seco

| Service | | | | | | | |
|--|--|--------------------|---|---|--|--|--|
| Food service | | | | | | | |
| 🏝 Hazards | | Critical Limits | Monitoring Procedures | Corrective Action | | | |
| Microbiological, physical and chemical contamination. | Clean and hygienic equipment, containers and utensils used for serving food. Raw and ready to eat foods separated Foods protected from contamination (e.g., use of sneeze screens, covering or packaging of foods) Direct handling minimised, use of tongs, utensils etc where possible Service areas, vending machines, equipment, containers, packaging and utensils maintained in a hygienic and sound condition. High standards of staff personal hygiene maintained Chemicals stored away from food. Manufacturer's advice followed Food safe chemicals used Food served in food grade packaging | | Regular checks on equipment, utensils and containers to ensure clean and hygienic condition Checks to ensure: Separation of raw and cooked products Effectiveness of measures to protect against contamination Direct handling of foods minimised Condition of service areas, vending machines, equipment, containers, packaging and utensils Staff personal hygiene practices are properly maintained Staff handle and use cleaning chemicals correctly Suitable food grade packaging/ wrapping used | Where equipment containers and utensils are not clean and hygienic, assess contamination may have occurred safely dispose of foods Review Cleaning plan and retrain staff If raw and ready to eat foods are not properly separated or protected against contamination (e.g., by sneeze screens), then assess contamination risks. If there is any evidence that contamination may have occurred safely dispose of foods. Review systems to protect food from contamination, amend as necessary and retrain staff If there is frequent direct handling of food, consider contamination risks and dispose of affected ready to eat foods safely If service areas vending machines, equipment, containers, packaging and utensils are not maintained in a hygienic and sound condition, then transfer food to suitable clean and hygienic alternatives. If there is por staff personal hygiene, then consider risk of food contamination. If there is any evidence that contamination may have occurred, safely dispose of foods. Review Cleaning Plan and Maintenance Programme. Retrain staff If staff do not use cleaning chemicals effectively and safely, then review Cleaning Plan and retrain staff | | | |
| Microbiological multiplication | Time out of temperature control minimised Food within "Use by" and "Best before" date or within assigned shelf life | | service is minimised Checks to ensure food within "Use by" and "Best before" dates, or assigned | If food service involves extended periods of time before delivery to customer, then review service arrangements to minimise time out of temperature control If food beyond "Use by" or "Best before" dates or assigned shelf life, then dispose of it safely | | | |
| Allergen cross contamination | Accurate record of allergen presence and "May contain" warnings (Allergen Information Records) maintained and available. Staff familiarised with system and updated about changes Thorough cleaning of service area and equipment to limit risk of allergen cross contamination Foods containing allergens clearly labelled with allergen content and securely packaged/contained Allergen free food identified, labelled and securely packaged/contained Allergen free foods served using separate equipment and utensils from foods containing allergens. Separate, readily identifiable, containers used for allergen free foods. Clean containers stored away from areas likely to be contaminated by allergens Staff trained to maintain high standards of personal hygiene to limit allergen transfer (e.g., thorough handwashing and changing of overclothing before serving allergen free foods) Self-service options (e.g., buffets), are clearly labelled with allergen information and are supervised by staff/regular checks undertaken, to manage the potential for cross contamination e.g., by utensils, inadequate separation of foods. | | Effective cleaning carried out to remove allergen debris and to minimise build-up of allergen residues Readily identifiable, containers used for allergen free foods Separation of foods containing allergens and allergen-free materials Products containing allergens suitably labelled/ identified and peckaged | Information Records, then review and amend system and retrain staff as necessary If labelling and/or packaging missing/ inadequate, then dispose of food safely, review and amend system and retrain staff. If there is any evidence that allergen cross contamination may have occurred, then treat food as if contaminated or discard of it If systems to prevent cross contamination (e.g., separation of products, cleaning to remove allergens, staff personal hygiene etc) are inadequate or improperly used, then review systems and retrain staff | | | |
| | Record of allergen presence and "May contain" warnings (Allergen Information Records) kept up to | | | If there are failures to accurately update Allergen Information Records, then review and amend | | | |

| complaints or concerns regarding allergenic contamination. Staff trained on this system and are familiar with how to deal with customer complaints. | contamination. Staff trained on this system and are familiar with how to deal with customer complaints. | review the matters and take necessary actions. Where applicable retrain staff on customer |
|---|---|--|
|---|---|--|

Contraction of the second seco